

ul. Lotnicza 12, Wojnarowice, PL 55-050, Sobótka 1 Tel.: +48 71 39 09 099, Fax: +48 71 39 09 100 info@korff.pl, www.korff.pl

Korff Isolmatic Sp. z o.o., ul. Lotnicza 12, Wojnarowice, PL 55-050 Sobótka 1

## Declaration of Performance, no. 27-CPR-2018-01-22-EN

Draduct time. Unique identification and of the product

1.	Product type: Unique identification type	n code of the product	Korff IR IP8	
2.	Type batch or serial number or an allowing identification of the const required und article 11(4)		See label	
3.	Intended use or uses of the construction product in accordance with the applicable harmonised technical specification, as foreseen by the manufacturer		Mineral wool thermal insulation of for ceramic and steel double wall chimneys, pipe lines, industrial and heating equipment and other devices operating at high temperatures	
4.	Name, registered trade name or registered trade mark and contact address of the manufacturer as required und article 11(2)		Mineral wool insulation – pipe sections without cover, Isorock Pipe Insulation Korff Isolmatic Sp. z o.o. ul. Lotnicza 12, Wojnarowice, PL 55-050 Sobótka	
5.	applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in article 12 (2		not relevant	
6.	AVCP: System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR, Annex V		System 3	
7.		ified body: In case of declaration of performance IMBiGS, PL, 1454 cerning a construction product covered by a monised standard		
8.	Notified body: In case of declaration of performance not relevant concerning a construction product for which a European Technical Assessment has been issued			
9.	Declared performance Essential characteristics	Performance		Harmonized technical specification: PN-EN 14303:2012
	Thermal resistance	λ <sub>D</sub> 0,040 W/m/K at 10°C 0,043 W/m/K at 65°C 0,068 W/m/K at 150°C 0,094 W/m/K at 250°C	C	EN ISO 8497
	Reaction to fire  Dimensional stability Stability of reaction to fire on aging / degradation  Durability of reaction to fire  A1  Maximum service term It does not change on the change of the change		ver time	EN 13501-1 PN EN ISO 14706:2006
	against aging/degradation Dimensional tolerance class Other essential characteristics	T4 NPD		EN 13162
10	The performance of the product ic	lentified above is in con	ntormity with the set of declared	nertormance/s This

10. The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above. Signed for and on behalf of the manufacturer by:

Bartosz Rytarowski Product Manager Wojnarowice, 2018-01-22

Page 1 of 1 27-CPR-2018-01-22-EN - KORFF IR IP8